



# 90cm freestanding cooker range

Preparing large family feasts and entertaining friends has just become a whole lot easier thanks to our 90cm freestanding cooker.

With its hugely practical 125L gross capacity and super-quick heat up time, you'll enjoy perfect results no matter what you cook.

Beautifully designed, and feature-packed, this large, easy to clean oven, with no-fuss PyroClean™ on selected models is set to become the new family favourite.



### Room for everything with FamilySize™ ovens

With a spacious 125L gross capacity\*, you can cook large meals with minimum fuss and maximum results. Our ovens have been tested to evenly bake up to 72 mini cupcakes in one go, so they're perfect for those last-minute school fundraisers!

\* Based on International Standard IEC 60350-1



### No-fuss PyroClean™ oven

The Westinghouse PyroClean™ ovens offer the latest in cleaning technology. Two pyrolytic functions safely heat the oven to a high temperature to turn different levels of grease and grime into ash. Then just quickly wipe the residue away. (Selected models only).



### Twin fan system for even cooking

Cook each dish to perfection with the Twin fan system. Fans rotate in opposite directions, distributing heat evenly throughout the oven, so you enjoy great results every time.



### Fast heat-up time

Every moment counts at meal times, so while your oven heats up fast you can save time and get on with cooking the dishes you and your family love.



### FamilySafe™ cool doors

For added safety and confidence in the kitchen, our cool touch door is beautifully designed with a large window, so you can keep a close eye on your cooking.



### Full touch electronic controls

Simple to operate and beautifully designed, the full-touch electronic control panel is easy to clean and also features a fully programmable timer. (Selected models only).

## 90cm freestanding cookers

### Features†



Model	WFE946SB
type	electric freestanding
available finishes	stainless steel
<b>hob™</b>	
type	ceramic
burners/elements	5
front left	1200W
front right	1800W
center	1400/2200W (dual zone)
rear left	800/1600/2300W (triple zone)
rear right	1200W
control type	touch
trivets	
ignition	
FamilySafe™ flame failure	
wok support	
<b>main oven</b>	
type	electric
oven functions	multifunction 11
capacity#	
- gross (litres)	125
- usable (litres)	116
pyrolytic functions	
oven cleaning	easy clean door, removable door
timer	programmable touch control
lights	2
glass layers in door	3
soft close door	
<b>general features</b>	
twin fan system	✓
grill in oven	✓
number of shelves	2
grill dish	2
grill insert	2
grill rack	1
connection	hardwired
maximum power rating (amps)	52
maximum gas rating (MJ/h)	
<b>dimensions†</b>	
overall* H x W x D (mm)	906-926 x 895 x 600
removable splashback height (mm)	60
freestanding cut-out (with feet attached) HxWxD (mm)	900 nominal x 900 min x 600
freestanding cut-out (on plinth with feet removed) HxWxD (mm)	755 max x 900 min x 600

Model	WFE914SB	WFEP915SB*
type	dual fuel freestanding	dual fuel freestanding, pyrolytic
available finishes	stainless steel	stainless steel
<b>hob™</b>		
type	gas	gas
burners/elements	5	5
front left	5.1 MJ/h	5.1 MJ/h
front right	12.1 MJ/h	12.1 MJ/h
center	14.2 MJ/h (wok)	14.2 MJ/h (wok)
rear left	9.0 MJ/h	9.0 MJ/h
rear right	9.0 MJ/h	9.0 MJ/h
control type	knob	knob
trivets	cast iron	cast iron
ignition	electronic underknob	electronic underknob
FamilySafe™ flame failure	✓	✓
wok support	✓	✓
<b>main oven</b>		
type	electric	electric
oven functions	multifunction 8	multifunction 12
capacity#		
- gross (litres)	125	125
- usable (litres)	116	116
pyrolytic functions		light, normal
oven cleaning	easy clean door, removable door	pyrolytic, easy clean door, removable door
timer	3 button touch control	programmable touch control
lights	2	2
glass layers in door	3	4
soft close door		✓
<b>general features</b>		
twin fan system	✓	✓
grill in oven	✓	✓
number of shelves	2	2
grill dish	2	2
grill insert	2	2
grill rack	1	1
connection	hardwired	hardwired
maximum power rating (amps)	15	25
maximum gas rating (MJ/h)	49.4	49.4
<b>dimensions†</b>		
overall* H x W x D (mm)	910-930 x 895 x 600	910-930 x 895 x 600
removable splashback height (mm)	60	60
freestanding cut-out (with feet attached) HxWxD (mm)	900 nominal x 900 min x 600	900 nominal x 900 min x 600
freestanding cut-out (on plinth with feet removed) HxWxD (mm)	755 max x 900 min x 600	755 max x 900 min x 600

Dimensions refer to overall dimensions of the product, not actual cut-out sizes. Depth excludes knobs and handles.

† Refer to the product information on the back page of this brochure.

\* This product is exclusive to specific retailer stores. For all participating, visit [westinghouse.com.au](http://westinghouse.com.au) for more information.

# Based on International Standard IEC 60350-1

- Burner outputs shown above are for natural gas connection.

^ Height refers to height to hob. This does not include the height of the trivets above the hob.

Dimensions refer to overall dimensions of the product, not actual cut-out sizes. Depth excludes knobs and handles.

† Refer to the product information on the back page of this brochure.

\* This product is exclusive to specific retailer stores. For all participating, visit [westinghouse.com.au](http://westinghouse.com.au) for more information.

# Based on International Standard IEC 60350-1

- Burner outputs shown above are for natural gas connection.

^ Height refers to height to hob. This does not include the height of the trivets above the hob.

# 54cm & 60cm freestanding cooking range

Our 54cm and 60cm freestanding cooker range features convenient separate grills and the same FamilySize™ oven platform as our latest built-in models. Our latest range of slot-in cookers can be freestanding or integrated into kitchen cabinetry for a seamless design, while the upright range has rear controls to keep those curious little fingers at bay.

Both the 54cm and 60cm ranges are available in full electric and full gas combinations, while selected models are also available in a dual fuel combination of electric oven and gas cooktop.



### Class-leading capacity

The large 80L gross capacity oven is designed to fit wide and deep trays with up to 5 shelf positions, allowing you to cook large meals and cater to any number of guests, using either single or multi-shelf cooking.



### Easy-clean oven

Enjoy easy cleaning with one seamless fully sealed oven cavity. With no awkward joints, nooks or crannies to trap grease, a simple wipe is all you need to keep your oven clean. What's more, the formed shelf supports on the inside of your oven make cleaning easier.



### Handy separate grilling compartment

Enjoy the ability to grill and bake at the same time while keeping different cooking flavours and smells apart. Even with such a large main oven capacity, you can enjoy the convenience of a separate grill, without compromising on precious oven space. (Selected models only)



### Durable surfaces

Whether you prefer white enamel or stainless steel, enjoy a sparkling finish every time. With supreme durability on external surfaces, you can be assured your cooker will look as good as new for years to come.



### High performance cooktops

Whether you prefer cooking with gas or the practicality of coils, easy-clean solid or stylish ceramic, our cooktops provide the ultimate in power and ease of use.

## 54cm & 60cm slot-in cooker range



### High performance cooktops


Choose between stylish and powerful ceramic cooktops, with high performance elements, including dual zones, or gas models with a high powered triple ring wok burner, allowing you to cook anything with ease, from family stir-frys to slow simmering.



### Durable cast iron trivets

The Westinghouse cast iron trivets have been designed for greater pot and pan stability, enabling easy pot movement between burners.

(Selected models only).



### Easy clean ceramic surface

Not only aesthetically pleasing, the full glass ceramic hob with touch controls is easy to use and clean and eliminates dirt traps.

(Selected models only).



### Easy ignite

For busy kitchens the easy ignite under knob ignition is quick, simple and safe to use.



### Fingerprint resistant stainless steel

Fingerprints have met their match. Enjoy a family-friendly oven with stainless steel that really is stainless. Your customers will keep their ovens looking like new with our easy-to-clean, smudge-free stainless steel.



### FamilySafe™ Flame failure device

Created with safety in mind, the flame failure safety device will immediately shut off the gas supply if the flame on the cooktop is unexpectedly extinguished.



Model shown: Slot-in electric/ceramic cooker WFE647SA.

# 60cm slot-in electric, gas & dual fuel

## Features<sup>†</sup>



Model	WFE642SA*	WFE647SA	WFE647WA
type	electric freestanding	electric freestanding	electric freestanding
nominal width (mm)	600	600	600
available finishes	stainless steel	stainless steel	white
grill type	electric grill in oven	separate electric grill	separate electric grill
<b>hob™</b>			
type	ceramic	ceramic	ceramic
number of burners / elements	4	4	4
left front	1000/2200W (dual zone)	1000/2200W (dual zone)	1000/2200W (dual zone)
left rear	1200W	1200W	1200W
right front	1200W	1200W	1200W
right rear	1800W	1800W	1800W
control type	knobs	knobs	knobs
hot surface indicator	✓	✓	✓
power on indicator	✓	✓	✓
trivets			
ignition			
FamilySafe™ flame failure			
cast vent at rear	✓	✓	✓
<b>main oven</b>			
type	electric	electric	electric
oven functions	fan forced	fan forced	fan forced
capacity#			
- gross (litres)	80	80	80
- usable (litres)	68	74	74
closed door grilling	✓		
timer	2 hour mechanical	2 hour mechanical	2 hour mechanical
lights	1	1	1
door glass layers	2	2	2
easy clean formed shelf supports	✓	✓	✓
FamilySafe™ oven flame failure			
<b>general features</b>			
removable splashback	✓	✓	✓
number of shelves	2	2	2
oven tray	2	2	2
telescopic runners (in grill)		✓	✓
grill/roasting dish	✓	✓	✓
dish insert	wire	smokeless	smokeless
FamilySafe™ grill flame failure			
<b>connection</b>			
type	hardwire	hardwire	hardwire
maximum power rating (kW)	8.7	10.5	10.5
maximum gas rating (NG)			
<b>dimensions<sup>†</sup></b>			
overall <sup>^</sup> H x W x D (mm)	916 x 596 x 632	916 x 596 x 632	916 x 596 x 632
height of splashback (mm)	60	60	60

Model	WFG617SA"	WFG617WA"	WFE616SA**	WFE619SA <sup>+</sup>	WFE619WA <sup>+</sup>
type	gas freestanding	gas freestanding	dual fuel freestanding	dual fuel freestanding	dual fuel freestanding
nominal width (mm)	600	600	600	600	600
available finishes	stainless steel	white	stainless steel	stainless steel	white
grill type	separate gas grill	separate gas grill	electric grill in oven	separate electric grill	separate electric grill
<b>hob™</b>					
type	gas	gas	gas	gas	gas
number of burners / elements	4	4	4	4	4
left front	14.2 MJ/h (triple ring wok)	14.2 MJ/h (triple ring wok)	14.2 MJ/h (triple ring wok)	14.2 MJ/h (triple ring wok)	14.2 MJ/h (triple ring wok)
left rear	9.0 MJ/h	9.0 MJ/h	9.0 MJ/h	9.0 MJ/h	9.0 MJ/h
right front	5.1 MJ/h	5.1 MJ/h	5.1 MJ/h	5.1 MJ/h	5.1 MJ/h
right rear	12.1 MJ/h	12.1 MJ/h	12.1 MJ/h	12.1 MJ/h	12.1 MJ/h
control type	knobs	knobs	knobs	knobs	knobs
hot surface indicator					
power on indicator					
trivets					
ignition					
FamilySafe™ flame failure					
cast vent at rear	✓	✓	✓	✓	✓
<b>main oven</b>					
type	gas	gas	electric	electric	electric
oven functions	fan forced	fan forced	fan forced	fan forced	fan forced
capacity#					
- gross (litres)	80	80	80	80	80
- usable (litres)	72	72	68	74	74
closed door grilling			✓		
timer	2 hour mechanical	2 hour mechanical	2 hour mechanical	2 hour mechanical	2 hour mechanical
lights	1	1	1	1	1
door glass layers	2	2	2	2	2
easy clean formed shelf supports	✓	✓	✓	✓	✓
FamilySafe™ oven flame failure	✓	✓			
<b>general features</b>					
removable splashback	✓	✓	✓	✓	✓
number of shelves	2	2	2	2	2
oven tray	2	2	2	2	2
telescopic runners (in grill)	✓	✓		✓	✓
grill/roasting dish	✓	✓	✓	✓	✓
dish insert	smokeless	smokeless	wire	smokeless	smokeless
FamilySafe™ grill flame failure	✓	✓			
<b>connection</b>					
type	10a plug	10a plug	10a plug	20a plug	20a plug
maximum power rating (kW)			2.3	4.1	4.1
maximum gas rating (NG)	63.3 MJ/h	63.3 MJ/h	40.4 MJ/h	40.4 MJ/h	40.4 MJ/h
<b>dimensions<sup>†</sup></b>					
overall <sup>^</sup> H x W x D (mm)	916 x 596 x 632	916 x 596 x 632	916 x 596 x 632	916 x 596 x 632	916 x 596 x 632
height of splashback (mm)	60	60	60	60	60

Dimensions refer to overall dimensions of the product, not actual cut-out sizes. Depth excludes knobs and handles.

<sup>†</sup> Refer to the product information on the back page of this brochure.

\* This product is exclusive to specific retailer stores. For all participating, visit westinghouse.com.au for more information.

# Based on International Standard IEC 60350-1

- Burner outputs shown above are for natural gas connection.

^ Height refers to height to hob. This does not include the height of the trivets above the hob.

" Gas type must be specified at time of purchase as model cannot be converted to LP or NG.

+ Hotplates can be converted to LP gas at installation. Injector kit supplied with the unit.

Dimensions refer to overall dimensions of the product, not actual cut-out sizes. Depth excludes knobs and handles.

<sup>†</sup> Refer to the product information on the back page of this brochure.

\* This product is exclusive to specific retailer stores. For all participating, visit westinghouse.com.au for more information.

# Based on International Standard IEC 60350-1

- Burner outputs shown above are for natural gas connection.

^ Height refers to height to hob. This does not include the height of the trivets above the hob.

" Gas type must be specified at time of purchase as model cannot be converted to LP or NG.

+ Hotplates can be converted to LP gas at installation. Injector kit supplied with the unit.

## 54cm slot-in ceramic & dual fuel



### Features†

Model	WFE547SA	WFE517SA*
type	electric freestanding	dual fuel freestanding
nominal width (mm)	540	540
fingerprint-resistant stainless steel finish	✓	✓
grill type	separate electric grill	separate electric grill
<b>hob™</b>		
type	ceramic	gas
number of burners / elements	4	4
left front	1000/2200W (dual zone)	14.2 MJ/h (triple ring wok)
left rear	1200W	9.0 MJ/h
right front	1200W	5.1 MJ/h
right rear	1800W	9.0 MJ/h
control type	knobs	knobs
hot surface indicator	✓	
power on indicator	✓	
trivets		cast iron
ignition		electronic push button
FamilySafe™ flame failure		✓
cast vent at rear	✓	
<b>main oven</b>		
type	electric	electric
oven functions	fan forced	fan forced
capacity#		
- gross (litres)	80	80
- usable (litres)	74	74
closed door grilling		
timer	2 hour mechanical	2 hour mechanical
lights	1	1
door glass layers	2	2
easy clean formed shelf supports	✓	✓
FamilySafe™ oven flame failure		✓
<b>general features</b>		
removable splashback	✓	✓
number of shelves	2	2
telescopic runners (in grill)	✓	✓
grill/roasting dish	✓	✓
dish insert	smokeless	smokeless
<b>connection</b>		
type	hardwire	20A plug
maximum power rating (kW)	10.5	4.1
maximum gas rating (NG)		37.3 MJ/h
<b>dimensions†</b>		
overall* H x W x D (mm)	914 x 540 x 632	910 x 540 x 632
removable splashback height (mm)	60	60

† Dimensions refer to overall dimensions of the product, not actual cut-out sizes. Depth excludes knobs and handles.

† Refer to the product information on the back page of this brochure.

# Based on International Standard IEC 60350-1

- Burner outputs shown above are for natural gas connection.

^ Height refers to height to hob. This does not include the height of the trivets above the hob.

+ Hotplates can be converted to LP gas at installation. Injector kit supplied with the unit.

## 54cm & 60cm upright cooker range



### Easy reach rear controls

The unique easy reach angled rear control system offers you and your family peace of mind while cooking by keeping oven controls far from children's reach.

(Selected models only).



### Digital programmable timer

With 3 simple-to-operate buttons, you can automatically set the oven to turn on or off, or simply use the clock as a timer.


(Selected models only).



### Practical coil elements

Both practical and durable, the coil elements provide an easy cleaning solution as parts can be easily removed for cleaning.

(Selected models only).



### Hot surface indicator

Avoid unnecessary accidents in the kitchen with hot surface indicators that clearly show if the hotplates are activated or still hot.

(Selected models only).



# 54cm upright electric & gas

## Features†



Model	WLE525WB	WLE527WA	WLE535WB
type	electric freestanding	electric freestanding	electric freestanding
nominal width (mm)	540	540	540
available finishes	white	white	white
grill type	separate electric grill	separate electric grill	separate electric grill
<b>hob™</b>			
type	coil	coil	solid
number of elements	4	4	4
left front	1250W	1250W	1000W
left rear	1250W	1250W	1500W
right front	2050W	2050W	2000W
right rear	1250W	1250W	1000W
hob ignition			
trivets			
FamilySafe™ flame failure			
hot surface indicator			
power on indicator	✓	✓	✓
<b>main oven</b>			
oven type	electric	electric	electric
oven functions	fan forced	fan forced	fan forced
capacity#			
- gross (litres)	80	80	80
- usable (litres)	74	74	74
timer	60 minute	programmable	60 minute
formed runner shelf support	✓	✓	✓
oven/grill ignition			
FamilySafe™ oven flame failure			
oven light	✓	✓	✓
door glass layers	2	2	2
<b>general features</b>			
easy reach rear controls	✓	✓	✓
number of shelves	2	2	2
grill dish	✓	✓	✓
dish insert	wire	wire	wire
<b>connection</b>			
type	hardwire	hardwire	hardwire
maximum power rating	9.9kW	9.9kW	9.1kW
maximum gas rating (NG)			
grill power	1.8kW	1.8kW	1.8kW
<b>dimensions†</b>			
overall* H x W x D (mm)	1150 x 540 x 620	1150 x 540 x 620	1150 x 540 x 620
height to hob (mm)	910	910	910
height of splashback (mm)	240	240	240

Dimensions refer to overall dimensions of the product, not actual cut-out sizes. Depth excludes knobs and handles.

† Refer to the product information on the back page of this brochure.

# Based on International Standard IEC 60350-1

\* Height refers to height to hob. This does not include the height of the trivets above the hob.

- Burner outputs shown above are for natural gas connection.

\* Gas type must be specified at time of purchase as model cannot be converted to LP or NG.



Model	WLE537WA	WLE547WA	WLG503WB"	WLG505WB"	WLG517WB"
type	electric freestanding	electric freestanding	gas freestanding	gas freestanding	gas freestanding
nominal width (mm)	540	540	540	540	540
available finishes	white	white	white	white	white
grill type	separate electric grill	separate electric grill	separate gas grill	separate gas grill	separate gas grill
<b>hob™</b>					
type	solid	ceramic	gas	gas	gas
number of elements	4	4	4	4	4
left front	1000W	1200W	12.1 MJ/h	12.1 MJ/h	14.2 MJ/h (wok)
left rear	1500W	2000W	9.0 MJ/h	9.0 MJ/h	9.0 MJ/h
right front	2000W	1200W	5.1 MJ/h	5.1 MJ/h	5.1 MJ/h
right rear	1000W	1200W	9.0 MJ/h	9.0 MJ/h	9.0 MJ/h
hob ignition			manual	electronic	electronic
trivets			enamel	enamel	enamel
FamilySafe™ flame failure			✓	✓	✓
hot surface indicator		✓			
power on indicator	✓	✓			
<b>main oven</b>					
oven type	electric	electric	gas	gas	gas
oven functions	fan forced	fan forced	conventional	conventional	fan bake and conventional
capacity#					
- gross (litres)	80	80	80	80	80
- usable (litres)	74	74	77	77	72
timer	programmable	programmable		60 minute	60 minute
formed runner shelf support	✓	✓	✓	✓	✓
oven/grill ignition			piezo	electronic	electronic
FamilySafe™ oven flame failure			✓	✓	✓
oven light	✓	✓		✓	✓
door glass layers	2	2	2	2	2
<b>general features</b>					
easy reach rear controls	✓	✓			
number of shelves	2	2	2	2	2
grill dish	✓	✓	✓	✓	✓
dish insert	wire	wire	wire	wire	wire
<b>connection</b>					
type	hardwire	hardwire	not required	10A plug	10A plug
maximum power rating	9.6kW	9.7kW	0kW	0.03kW	0.05kW
maximum gas rating (NG)			58.5 MJ/h	58.5 MJ/h	60.6 MJ/h
grill power	1.8kW	1.8kW	11.1 MJ/h	11.1 MJ/h	11.1 MJ/h
<b>dimensions†</b>					
overall* H x W x D (mm)	1150 x 540 x 620	1150 x 540 x 620	1150 x 540 x 620	1150 x 540 x 620	1150 x 540 x 620
height to hob (mm)	910	910	910	910	910
height of splashback (mm)	240	240	240	240	240

Dimensions refer to overall dimensions of the product, not actual cut-out sizes. Depth excludes knobs and handles.

† Refer to the product information on the back page of this brochure.

# Based on International Standard IEC 60350-1

\* Height refers to height to hob. This does not include the height of the trivets above the hob.

- Burner outputs shown above are for natural gas connection.

\* Gas type must be specified at time of purchase as model cannot be converted to LP or NG.



## 60cm upright electric

### Features†



Model	WLE625WA	WLE645WA
type	electric freestanding	electric freestanding
nominal width (mm)	600	600
available finishes	white	white
grill type	separate electric grill	separate electric grill
<b>hob</b>		
type	coil	ceramic
number of elements	4	4
left front	2050W	1000W/2200W (dual zone)
left rear	1250W	1200W
right front	2050W	1200W
right rear	1250W	1800W
power on indicator	✓	✓
residual heat indicator		✓
<b>main oven</b>		
oven type	electric	electric
oven functions	fan forced	fan forced
capacity#		
- gross (litres)	80	80
- usable (litres)	74	74
timer	2 hour mechanical	2 hour mechanical
formed runner shelf support	✓	✓
oven light	✓	✓
door glass layers	2	2
<b>general features</b>		
easy reach rear controls	✓	✓
number of shelves	2	2
grill/roasting dish	✓	✓
dish insert	wire	wire
baking trays	1	2
<b>connection</b>		
type	hardwire	hardwire
maximum power rating	10.7kW	10.5kW
grill power	1.8kW	1.8kW
<b>dimensions†</b>		
overall* H x W x D (mm)	1145 x 596 x 617	1145 x 596 x 617
height to hob (mm)	909	909
height of splashback (mm)	236	236



Model shown: Upright gas cooker WLG517WB.

Dimensions refer to overall dimensions of the product, not actual cut-out sizes. Depth excludes knobs and handles.

† Refer to the product information on the back page of this brochure.

# Based on International Standard IEC 60350-1

\* Height refers to height to hob. This does not include the height of the trivets above the hob.

## Elevated electric cookers

### Features†



Model	WDE135WA-L/R	WDE147WA-L/R
type	elevated electric	elevated electric
nominal width (mm)	1085	1085
available finishes	white	white
separate grill	✓	✓
grill type	separate electric grill	separate electric grill
<b>hob</b>		
type	solid	ceramic
number of elements	4	4
left front	1500W	1200W
left rear	1500W	2000W
right front	2000W	1200W
right rear	1000W	1200W
hot surface indicator		✓
<b>main oven</b>		
oven type	electric	electric
oven functions	fan forced	fan forced
capacity#		
- gross (litres)	80	80
- usable (litres)	74	74
timer	60 minute auto-off	programmable
oven light	✓	✓
formed runner shelf support	✓	✓
door glass layers	2	2
<b>general features</b>		
dish insert	✓	✓
grill dish	✓	✓
number of shelves	2	2
<b>connection</b>		
type	hardwire	hardwire
maximum power rating	10.0kW	10.0kW
<b>dimensions†</b>		
overall^ H x W x D (mm)	540 x 1085 x 620	540 x 1085 x 620

## Elevated gas cookers

### Features†



Model	WDG101WBNG-L/R	WDG103WBNG-L/R
type	elevated gas	elevated gas
nominal width (mm)	1085	1085
available finishes	white	white
grill type	separate gas grill	separate gas grill
<b>hob</b>		
type	gas	gas
number of burners	4	4
left front	12.0 MJ/h	12.0 MJ/h
left rear	9.0 MJ/h	9.0 MJ/h
right front	5.1 MJ/h	5.1 MJ/h
right rear	9.0 MJ/h	9.0 MJ/h
enamelled wire trivets	✓	✓
familysafe™ flame failure	✓	✓
ignition	manual	electronic
<b>main oven</b>		
type	gas	gas
oven functions	conventional	fan bake & conventional
capacity#		
- gross (litres)	80	80
- usable (litres)	77	72
timer	60 minute	60 minute
oven light		✓
ignition	piezo	electronic
formed runner shelf support	✓	✓
door glass layers	2	2
oven flame failure safety device	✓	✓
<b>general features</b>		
dish insert	✓	✓
grill dish	✓	✓
number of shelves	2	2
<b>connection</b>		
type	not required	electrical - 10A plug
maximum power rating		0.045 kW
maximum gas rating (NG)	56.5 MJ/h	56.5 MJ/h
gas conversion kit LP included°	✓	✓
<b>dimensions†</b>		
overall^ H x W x D (mm)	540 x 1085 x 620	540 x 1085 x 620

Dimensions refer to overall dimensions of the product, not actual cut-out sizes. Depth excludes knobs and handles. Depth including knobs and handles is 630mm.

† Refer to the product information on the back page of this brochure.

# Based on International Standard IEC 60350-1

^ Height refers to height to hob. This does not include the height of the trivets above the hob.

Dimensions refer to overall dimensions of the product, not actual cut-out sizes. Depth excludes knobs and handles. Depth including knobs and handles is 630mm.

† Refer to the product information on the back page of this brochure.

# Based on International Standard IEC 60350-1

- Burner outputs shown above are for natural gas connection.

^ Height refers to height to hob. This does not include the height of the trivets above the hob.

° Gas conversion kit must be installed by a licensed contractor.



For more information on all Westinghouse appliances, or for dimension and installation information, call into your retailer, phone or email our customer care team or visit our website:

phone: 1300 363 640  
fax: 1800 350 067  
email: [customercare@electrolux.com.au](mailto:customercare@electrolux.com.au)  
web: [westinghouse.com.au](http://westinghouse.com.au)



We invite you to follow Westinghouse appliances and get involved in the conversation.

## Top service

Electrolux Top Service encompasses the after sales service including Delivery, Home Service and Spare Parts.

### Spare Parts and Accessories:

Westinghouse offers an extensive range of genuine spare parts and accessories to purchase across our entire range of products. With purchasing options to suit your shopping style, you can be sure we are always thinking of you. To view and purchase genuine spare parts and accessories online visit [shop.westinghouse.com.au](http://shop.westinghouse.com.au)

To discuss and purchase genuine spare parts and accessories with one of our friendly staff call 1300 363 640. To find your nearest Electrolux spare parts retailer call 13 13 50.

### Warranty

Electrolux Home Products Pty Ltd (Electrolux) warrants that for normal domestic application, the Westinghouse Ovens featured in this brochure are free from defects in materials and workmanship for a period of 2 year from the date of first purchase in Australia or New Zealand, subject to the conditions set out in the warranty card accompanying the product when purchased. These products are not suitable for applications where health and industry requirements and regulations apply. This warranty is in addition to other rights and warranties you may have under the Australian Consumer Law (ACL) and Electrolux will at all times comply with its obligations at law including the ACL.

### † Product information

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is provided on the understanding that Electrolux will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow and may vary slightly.

 and WESTINGHOUSE are trademarks of Westinghouse Electric Corporation. Used under license by Electrolux Home Products Pty Ltd. All Rights Reserved.

© 2018 Electrolux Home Products Pty Ltd. ABN 51 004 762 341. WSTOVE\_Oct18